

PUMA CLIP CAM Ø35 Apertura 110°



ACTUALIZADO EL DÍA 28/03/2023

Codo 0 Recto $H = 14 + D - S$	Codo 9 Acodado $H = 4 + D - S$	Codo 18 Superacodado $H = -4 + D + F$																																																						
<p>F fuga mínima 2,5mm. Regulación -0,5 / + 3,0</p> <table border="1"> <tr> <th>S \ D</th> <th>3</th> <th>4</th> <th>5</th> <th>6</th> <th>7</th> </tr> <tr> <th>0</th> <td>17</td> <td>18</td> <td>19</td> <td>20</td> <td>21</td> </tr> <tr> <th>2</th> <td>15</td> <td>16</td> <td>17</td> <td>18</td> <td>19</td> </tr> </table>	S \ D	3	4	5	6	7	0	17	18	19	20	21	2	15	16	17	18	19	<p>F fuga mínima 2,5mm. Regulación -0,5 / + 3,0</p> <table border="1"> <tr> <th>S \ D</th> <th>3</th> <th>4</th> <th>5</th> <th>6</th> <th>7</th> </tr> <tr> <th>0</th> <td>7</td> <td>8</td> <td>9</td> <td>10</td> <td>11</td> </tr> <tr> <th>2</th> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> </tr> </table>	S \ D	3	4	5	6	7	0	7	8	9	10	11	2	5	6	7	8	9	<p>Tabla de la fuga "F"mm. Regulación -0,5 / + 3,0</p> <table border="1"> <tr> <th>F \ D</th> <th>3</th> <th>4</th> <th>5</th> <th>6</th> <th>7</th> </tr> <tr> <th>0</th> <td>1</td> <td>0</td> <td>-1</td> <td>-2</td> <td>-3</td> </tr> <tr> <th>2</th> <td>3</td> <td>2</td> <td>1</td> <td>0</td> <td>-1</td> </tr> </table>	F \ D	3	4	5	6	7	0	1	0	-1	-2	-3	2	3	2	1	0	-1
S \ D	3	4	5	6	7																																																			
0	17	18	19	20	21																																																			
2	15	16	17	18	19																																																			
S \ D	3	4	5	6	7																																																			
0	7	8	9	10	11																																																			
2	5	6	7	8	9																																																			
F \ D	3	4	5	6	7																																																			
0	1	0	-1	-2	-3																																																			
2	3	2	1	0	-1																																																			



Níquel	Grafito	Níquel	Grafito	Níquel	Grafito	Mecanizado cazoleta
644.90		644.91		644.92		
644.190		644.191		644.192		
 644.380	 644.590	 644.381	 644.591	 644.382	 644.592	
 644.260	 644.360	 644.261	 644.361	 644.262	 644.362	

Información y Complementos recomendados

